

	Application No.	Applicant(s)
Notice of Allowability	10/727,372	SCHREIBER ET AL.
	Examiner	Art Unit
	Roompot W. Dada	2135
	Beemnet W. Dada	2135
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>After final amendment filed on 08/09/07</u> .		
2. The allowed claim(s) is/are <u>1 and 5</u> .		
 3.		
Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
		·
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summar	y (PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amend	ate Iment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Statem	nent of Reasons for Allowance
of Biological Material	9. Other	
•		
		•

Application/Control Number: 10/727,372

Art Unit: 2135

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John L. Rogitz on August 20, 2007.

The application has been amended as follows:

In the claims

1. (currently amended) A computer readable medium bearing logic executable by a computer for:

receiving, from [the] a user, a unique identifier, the unique identifier comprising both a sequence of keystrokes and [the] inter-keystroke intervals associated with provision of those keystrokes;

comparing the unique identifier received from the user with a reference unique identifier by:

comparing the sequence with a sequence from the reference unique identifier to render a sequence comparison;

comparing at least one absolute inter-keystroke interval of the unique identifier with a respective absolute inter-keystroke interval of the reference unique identifier to render an absolute comparison and returning a true indication if the absolute

Application/Control Number: 10/727,372

Art Unit: 2135

inter-keystroke interval of the unique identifier is within a predetermined tolerance of the absolute inter-keystroke interval of the reference identifier;

Page 3

comparing at least one relative inter-keystroke interval of the unique identifier, the relative inter-keystroke interval being a ratio of an absolute inter-keystroke interval in the unique identifier to a predetermined absolute inter-keystroke interval in the unique identifier, with a respective reference relative inter-keystroke interval of the reference unique identifier, the reference relative inter-keystroke interval being a ratio of an absolute inter-keystroke interval in the reference unique identifier to a predetermined absolute inter-keystroke interval in the reference unique identifier, to render a relative comparison and returning a true indication if the relative inter-keystroke interval of the unique identifier is within a predetermined tolerance of the relative inter-keystroke interval of the reference identifier; and

authenticating said user if the sequence comparison, the absolute comparison, and said relative comparison all return a true indication, <u>further comprising the step of entry by the user of the reference unique identifier</u>, wherein said predetermined tolerance is explicitly provided by [a] <u>the user during said step of entry by the user of the reference unique identifier</u>.

3. (Canceled).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Beemnet W. Dada whose telephone number is (571) 272-3847. The examiner can normally be reached on Monday - Friday (9:00 am - 5:30 pm).

Art Unit: 2135

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kim Y. Vu can be reached on (571) 272-3859. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Beemnet W Dada

August 27, 2007

SUPERVISORY PATENT EXANT TECHNOLOGY CENTER 210